

Chemistry and Immunoassay Menu

For use outside the U.S. only

siemens-healthineers.com



Assay	Atellica® Solution	ADVIA Centaur® XP/XPT Systems	ADVIA Centaur® CP System	ADVIA® Chemistry Systems	Dimension Vista® System	Dimension® EXL™/LM/200 Systems	IMMULITE® 2000/2000 XPi Systems
6-Acetylmorphine (6-AM)	● ⁷			● ⁷	● ⁷	● ⁷	
α1-Acid Glycoprotein (AAG)	●			●	●	● ^{6,10}	
α1-Antitrypsin (AAT)	●			●	●		
α1-Microglobulin					●		
α2-Macroglobulin					●		
Acetaminophen	●			●	●	●	
Acid Phosphatase						●	
ACTH	● ¹						●
Active-B12	●	●	●				
AFP	●	●	●		●		●
Alanine Aminotransferase (ALT)	●			● ⁴			
Alanine Aminotransferase (P5P)	●			● ⁴	●	●	
AlaTOP Allergy Screen							● ¹⁰
Albumin (BCG)	●			● ⁴			
Albumin (BCP)	●			●	●	●	
Albumin, Nephelometry					●		
Aldolase	● ^{6,10}				● ^{6,10}	● ^{6,10}	
Alkaline Phosphatase	●			● ⁵	●	●	
Alkaline Phosphatase (DEA)				● ¹⁰			
Allergen-Specific IgE 3gAllergy™							●
Allergen-Specific IgG							● ¹⁰
Allergen-Specific IgG4							● ¹⁰
Amikacin	● ⁷				● ⁷	● ⁷	
Ammonia	●			●	●	●	
Amphetamines	●			●	●	●	
Amylase	●			●	●	●	
Androstenedione	●	●	●				●
Angiotensin-converting enzyme (ACE)	● ⁶						

Assay	Atellica Solution	ADVIA Centaur XP/XPT Systems	ADVIA Centaur CP System	ADVIA Chemistry Systems	Dimension Vista System	Dimension EXL/LM/200 Systems	IMMULITE 2000/2000 XPi Systems
Anti-CCP	●	●	●				●
Anti-Müllerian Hormone (AMH)	● ¹	● ¹	● ¹				
Antistreptolysin O (ASO)	●			●	●	● ^{6,10}	
Anti-TG	●	●	●				●
Anti-TPO	●	●	●				●
Apolipoprotein A-1	●			●	●	● ^{6,10}	
Apolipoprotein B	●			●	●	● ^{6,10}	
Aspartate Aminotransferase (AST)	●			● ⁴			
Aspartate Aminotransferase (P5P)	●			● ⁴	●	●	
β-2 Microglobulin	●			●	●	● ^{6,10}	●
β-Amyloid 1-42 (AB42)	● ¹	● ¹	● ¹				
Barbiturates, Serum	● ⁷			●	● ⁷	● ⁷	
Barbiturates, Urine	●			●	●	●	
Benzodiazepines, Serum	● ⁷			●	● ⁷	● ⁷	
Benzodiazepines, Urine	●			●	●	●	
Bilirubin, Direct	●			●	●	●	
Bilirubin, Total	●			●	●	●	
BNP	●	●	●		● ¹⁰		
BR 27.29	●	●					
Buprenorphine	● ⁷			● ⁷	● ⁷	● ⁷	
C-Peptide	●	●	●				●
C1 Inhibitor					●		
CA 125II™ (OM-MA) ²	●	●	●		●		●
CA 15-3 (BR-MA) ²	●	●	●		●		●
CA 19-9 (GI-MA) ²	●	●	●		●		● ^{1,10}
Caffeine	● ⁷				● ⁷	● ⁷	
Calcitonin	●	●	● ¹				●
Calcium (Arsenazo)	●			● ⁴			
Calcium (CPC)	●			● ⁴	●	●	
Canine Free T4							●
Canine TLI							●
Canine Total T4							●
Canine TSH							●
Cannabinoids (THC)	●			●	●	●	
Carbamazepine	●	●	●	●	●	●	●
Carbon Dioxide, Enzymatic	●			● ⁵	●	●	
CEA	●	●	●		●		●
Ceruloplasmin	● ⁶				●	● ^{6,10}	
Chloride	●			●	●	●	
Cholesterol	●			● ⁴	●	●	
Cholinesterase	●			●			
CKMB	●	●	●		●	●	● ¹⁰

Assay	Atellica Solution	ADVIA Centaur XP/XPT Systems	ADVIA Centaur CP System	ADVIA Chemistry Systems	Dimension Vista System	Dimension EXL/LM/200 Systems	IMMULITE 2000/2000 XPi Systems
CKMB (Activity)	● ^{6,10}				●	●	
CMV IgG	●	●	●				●
CMV IgM	● ¹	● ¹	● ¹				●
Cocaine Metabolite	●			●	●	●	
Complement C3	●			●	●	●	
Complement C4	●			●	●	●	
Complexed PSA	●	●	●				
Copper	● ^{6,10}						
Cortisol	●	●	●				●
Creatine Kinase	●			●	●	●	
Creatinine	●		●	● ⁴	●	●	
Creatinine (Enzymatic)	●			●	●	●	
Creatinine Validity Test	● ⁷						
CRP	●			●	●	●	
CRP, High Sensitivity	●			●	●	●	●
CRP, Wide Range	● ¹⁰			●		●	
CTx	● ¹						
Cyclosporine	●	●	●		● ⁹	● ⁹	
Cyclosporine (Extended Range)					● ⁹	● ⁹	
CYFRA 21-1	● ¹	● ¹	● ¹				
Cystatin C	●			●	●		
D-Dimer							● ¹⁰
DHEAS	●	●	●				●
Dibucaine Number					● ^{6,10}	● ^{7,10}	
Digitoxin	●	●	●		●	●	● ¹⁰
Digoxin	●	●	●	●	●	●	●
EBV-EBNA IgG	● ¹	● ¹	● ¹				● ¹⁰
EBV-VCA IgG	● ¹	● ¹	● ¹				● ¹⁰
EBV-VCA IgM	● ¹	● ¹	● ¹				● ¹⁰
ECP							● ¹⁰
Ecstasy	●			●	●	●	
Enhanced Estradiol	●	●	●				
Enhanced Liver Fibrosis (ELF™) Test	● ¹⁰	● ¹⁰	● ¹⁰				
EPO	●	●	●				● ¹⁰
Estradiol					●		●
Ethosuximide					● ⁷	● ⁷	
Ethyl Alcohol	●			●	●	●	
Ethyl Glucuronide (EtG)	● ^{3,6}			● ^{3,6}	● ^{3,6}	● ^{3,6}	
Everolimus	● ¹	● ¹	● ¹			● ¹	
Fentanyl	● ⁶			● ^{1,6}	● ⁶	● ⁶	
Ferritin	●	●	●	●	●	●	●
Folate	●	●	●		●	●	●

Assay	Atellica Solution	ADVIA Centaur XP/XPT Systems	ADVIA Centaur CP System	ADVIA Chemistry Systems	Dimension Vista System	Dimension EXL/LM/200 Systems	IMMULITE 2000/2000 XPi Systems
Free BHCG	● ⁸	● ⁸	● ⁸				● ¹⁰
Free Light Chains, Type Kappa	● ⁷						
Free Light Chains, Type Lambda	● ⁷						
Free PSA	● ¹⁰	● ¹⁰			●	●	●
Free T3	●	●	●		●	●	●
Free T4	●	●	●		●	●	●
Fructosamine	●			●	● ^{6,10}	● ^{6,10}	
FSH	●	●	●		●		●
G6P-DH	● ⁶						
Gabapentin	● ^{1,10}						
Gamma Glutamyltransferase (GGT)	●			●	●	●	
Gastrin							●
Gentamicin	●	●	●	●	●	●	
Glucose, Hemolyzed					● ^{7,10}	● ^{7,10}	
Glucose (Hexokinase)	●			● ⁴	●	●	
Glucose (Oxidase)	●			● ⁴			
Growth Hormone (hGH)	● ¹	● ¹	● ¹				●
<i>H. pylori</i> IgG							●
HA (ELF™ Test)	● ¹⁰	● ¹⁰	● ¹⁰				
Haptoglobin	●			●	●	● ^{6,10}	
HAV IgM	●	●	●				
HAV Total	●	●	●				
HBc IgM	●	●	●				●
HBc Total	●	●	●				●
HBc Total 2	● ¹⁰	● ¹⁰	● ¹⁰				
HBe Ab	● ¹⁰	● ¹⁰	● ¹⁰				
HBeAg	●	●					
HBsAb	●	●	●				●
HBsAg			●				●
HBsAg Confirmatory	●	●	●				●
HBsAg II	●	●	● ¹⁰				
HBsAg II Quantitative	● ⁸	● ⁸					
hCG	●	●	●		●	●	●
HCV	●	●	●				
HDL Cholesterol	●			●	●	●	
Hemoglobin A1c	● ⁹			● ⁹	● ⁹	● ⁹	
Hemopexin					●		
Herpes I and II IgG							●
Herpes-1 IgG	● ¹	●	●				
Herpes-2 IgG	● ¹	●	●				
HIV 1/0/2 Enhanced (EHIV)	●	●	●				
HIV Ag/Ab Combo (CHIV)	●	●	●				

Assay	Atellica Solution	ADVIA Centaur XP/XPT Systems	ADVIA Centaur CP System	ADVIA Chemistry Systems	Dimension Vista System	Dimension EXL/LM/200 Systems	IMMULITE 2000/2000 XPi Systems
Homocysteine	●	●	●		●		●
IgE Total	●	●	●		●		●
IGF-1	● ¹	● ¹	● ¹				●
IGFBP-3	● ¹	● ¹	● ¹				●
IgG Subclasses 1–4					●		
IL-2R							● ¹⁰
IL-6	● ¹⁰	● ¹⁴	● ¹⁴				● ¹⁰
Immunoglobulin A (IgA)	●			●	●	●	
Immunoglobulin E (IgE)	●				●		
Immunoglobulin G (IgG)	●			●	●	●	
Immunoglobulin M (IgM)	●			●	●	●	
Insulin	●	●	●				●
Intact PTH	●	●	●				●
Iron	●			●	●	●	
Lactate	●			●	●	●	
Lactate Dehydrogenase (L–P)	●			●	●	●	
Lactate Dehydrogenase (P–L)				●			
Lamotrigine	● ⁶			● ⁶	● ⁶	● ⁶	
LBP	● ¹⁰	● ¹⁰	● ¹⁰				● ¹⁰
LDL Cholesterol	●			●	●	●	
Levetiracetam	● ⁶			● ⁶	● ⁶	● ^{1,6}	
LH	●	●	●		●		●
Lidocaine	●				●	●	
Lipase	●			●	●	●	
Lipoprotein(a)	●			●	● ^{6,10}	● ^{6,10}	
Lithium	●			●	●	●	
Lysergic Acid Diethylamide (LSD)	● ⁷						
Magnesium	●			● ⁴	●	●	
Methadone	●			●	●	●	
Methadone Metabolite (EDDP)	●			●			
Methaqualone	● ⁷				● ⁷	● ⁷	
Methotrexate	● ⁶			● ⁶	● ⁶	● ⁷	
Microalbumin	●			●	●	●	●
Mycophenolic Acid (MPA)	●					●	
Myoglobin	●	●	●	●	●	●	●
N-Acetylprocainamide (NAPA)	●				●	●	
Neuron Specific Enolase (NSE)	● ¹	● ¹	● ¹				
Nicotine Metabolites							● ¹⁰
Nitrite Validity Test ³	● ⁷						
NT-proBNP	● ¹⁰	● ¹⁰	● ¹⁰		●	●	● ¹⁰
Opiates	●			●	●	●	
Osteocalcin							● ¹⁰

Assay	Atellica Solution	ADVIA Centaur XP/XPT Systems	ADVIA Centaur CP System	ADVIA Chemistry Systems	Dimension Vista System	Dimension EXL/LM/200 Systems	IMMULITE 2000/2000 XPi Systems
Oxidant Validity Test ³	● ⁷						
Oxycodone	●			● ⁷	● ⁷	● ⁷	
Pancreatic Amylase	●			●	● ^{6,10}	● ^{6,10}	
PAP							●
PAPP-A	● ⁸	● ⁸	● ⁸				● ¹⁰
pH Validity Test ³	● ⁷						
Phencyclidine	●			●	●	●	
Phenobarbital	●	●	●	●	●	●	●
Phenytoin	●	●	●	●	●	●	●
Phosphorus	●			● ⁴	●	●	
PIGF	● ¹	● ¹	● ¹				
PIIINP (ELF™ Test)	● ¹⁰	● ¹⁰	● ¹⁰				
Potassium	●			●	●	●	
Prealbumin	●			●	●	●	
Procainamide	●				●	●	
Procalcitonin (PCT)	●	● ¹⁰	● ¹⁰			● ¹	
Progesterone	●	●	●		●		●
Prolactin	●	●	●		●		●
Propoxyphene	●			●	● ⁷	● ⁷	
PSA	●	●	●		●	●	●
Pseudocholinesterase					●	●	
Pyrilinks®-D							●
RBC Folate	●	●	●				●
Retinol Binding Protein					●		
Rheumatoid Factor (RF)	●			●	●	● ^{6,10}	
Rubella IgG	●	●	●				●
Rubella IgG II	● ¹⁰	● ¹⁰	● ¹⁰				
Rubella IgM	●	●	●				●
Salicylate	●			●	●	●	
SARS-CoV-2 Ag (CoVAg)	● ¹³	● ¹³					
SARS-CoV-2 IgG (COV2G)	● ¹²	● ¹²			● ¹²	● ¹²	
SARS-CoV-2 IgG (sCOVG)	● ¹³	● ¹³	● ¹³				
SARS-CoV-2 Total (COV2T)	● ¹²	● ¹²	● ¹²		● ¹²	● ¹²	
Serum HER-2/neu	●	●	●				
sFLT-1	● ¹	● ¹	● ¹				
SHBG	●	●	●				●
Sirolimus	● ¹	● ¹	● ¹			● ⁹	
Sodium	●			●	●	●	
Soluble Transferrin Receptor (sTfR)	● ^{6,10}			● ^{6,10}	●		
Specific Gravity Validity Test ³	● ⁷						
Squamous Cell Carcinoma Antigen (SCC)	● ¹	● ¹	● ¹				
Syphilis	●	●	●				●

Assay	Atellica Solution	ADVIA Centaur XP/XPT Systems	ADVIA Centaur CP System	ADVIA Chemistry Systems	Dimension Vista System	Dimension EXL/LM/200 Systems	IMMULITE 2000/2000 XPi Systems
T Uptake	●	●	●		●	●	●
Tacrolimus	● ¹	● ¹	● ¹			● ⁹	
Testosterone II	●	●	●		●		●
Theophylline	●	●	●	●	●	●	●
Thyroglobulin (Tg)	● ¹⁰						●
Thyroid Binding Globulin (TBG)							●
Thyroid Stimulating Immunoglobulin (TSI)							●
TIMP-1 (ELF™ Test)	● ¹⁰	● ¹⁰	● ¹⁰				
TNFα	● ¹	● ¹	● ¹				
Tobramycin	●			●	●	●	
Total Bile Acids	● ^{6,10}						
Total Iron Binding Capacity (TIBC)	●			●	●	●	
Total Light Chains, Type Kappa					●	● ^{6,10}	
Total Light Chains, Type Lambda					●	● ^{6,10}	
Total Protein	●			● ⁴	●	●	
Total Protein, CSF/Urine	●			●	●	●	
Total T3	●	●	●				●
Total T4	●	●	●		●	●	●
Total Tau (TTAU)	● ¹	● ¹	● ¹				
Toxoplasma IgG	●	●	●				●
Toxoplasma IgM	●	●	●				●
Tramadol	● ⁶			● ⁶	● ⁶	● ⁶	
Transferrin	●			●	●	●	
Tricyclic Antidepressants	● ⁷			●	● ⁷	● ⁷	
Triglycerides	●			● ⁴	●	●	
Troponin I, Guideline Acceptable			●		●	●	●
Troponin I, High-Sensitivity (TNIH)	●	●	● ¹		●	●	
TSH		●	●				●
TSH 3rd Generation					●	●	●
TSH3-Ultra	●	●	●				
Unconjugated Estriol (UE3)							●
Urea Nitrogen (BUN)	●			● ⁴	●	●	
Uric Acid	●			● ⁴	●	●	
Valproic Acid	●	●	●	●	●	●	●
Vancomycin	●	●	●	●	●	●	
Vitamin B12	●	●	●		●	●	●
Vitamin D Total	●	●				●	
Zika Test	● ¹¹	● ¹¹	● ¹¹				
Zinc	● ^{6,10}						

At Siemens Healthineers, our purpose is to enable healthcare providers to increase value by empowering them on their journey toward expanding precision medicine, transforming care delivery, and improving patient experience, all made possible by digitalizing healthcare.

An estimated 5 million patients globally benefit every day from our innovative technologies and services in the areas of diagnostic and therapeutic imaging, laboratory diagnostics, and molecular medicine, as well as digital health and enterprise services.

We are a leading medical technology company with over 120 years of experience and 18,000 patents globally. Through the dedication of more than 50,000 colleagues in 75 countries, we will continue to innovate and shape the future of healthcare.

3gAllergy, ADVIA, ADVIA Centaur, Atellica, Dimension, Dimension Vista, ELF, EXL, IMMULITE, and all associated marks are trademarks of Siemens Healthcare Diagnostics Inc., or its affiliates. All other trademarks and brands are the property of their respective owners.

Product availability may vary from country to country and is subject to varying regulatory requirements. Please contact your local representative for availability.

References:

1. Under development. Not commercially available. Future availability cannot be guaranteed.
2. CA 125II, CA 15-3, and CA 19-9 are trademarks of Fujirebio Diagnostics, Inc.
3. Restricted in the U.S. to law enforcement-related use (forensic use only).
4. Also available in concentrated version.
5. Only available in concentrated version.
6. Alliance Application manufactured by third party, distributed by Siemens Healthcare Diagnostics.
7. Alliance Application manufactured and distributed by Siemens Healthcare Diagnostics.
8. For research use only in the U.S.
9. No manual pre-treatment.
10. Not available for sale in the U.S.
11. Limited distribution.
12. This test has not been FDA cleared or approved. This test has been authorized by FDA under an EUA for use by authorized laboratories. This test has been authorized only for detecting the presence of antibodies against SARS-CoV-2, not for any other viruses or pathogens. This test is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostics for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Act, 21 U.S.C. § 360bbb-3(b)(1), unless the authorization is terminated or revoked.
13. This test has not been reviewed by the FDA. In the US, use of this test is limited to laboratories that are certified under Clinical Laboratory Improvement Amendments of 1988 (CLIA) to perform high-complexity testing. Product availability may vary by country and is subject to regulatory requirements.
14. This test has been authorized by FDA under an EUA for use by authorized laboratories. This test has been authorized only to assist in identifying severe inflammatory response, when used as an aid in determining the risk of intubation with mechanical ventilation in confirmed COVID-19 patients. This test is only authorized for the duration of the declaration that circumstances exist justifying the authorization of emergency use of in vitro diagnostics for detection and/or diagnosis of COVID-19 under Section 564(b)(1) of the Act, 21 U.S.C. § 360bbb-3(b)(1), unless the authorization is terminated or revoked sooner.

Siemens Healthineers Headquarters

Siemens Healthcare GmbH
Henkestr. 127
91052 Erlangen, Germany
Phone: +49 9131 84-0
siemens-healthineers.com

Published by

Siemens Healthcare Diagnostics Inc.
Laboratory Diagnostics
511 Benedict Avenue
Tarrytown, NY 10591-5005
USA
Phone: +1 914-631-8000