

Multideck cabinets
TectoDeck MD5

VIESSMANN

Energy-efficient high-performance multideck





New level of performance and efficiency

TectoDeck MD5 delivers improved merchandising for retailers

TectoDeck MD5 is a new space-efficient multideck combining high performance with energy efficiency, space efficiency and many other customer benefits. These include integral door design and a new lighting solution for optimal product visibility. Focus has been placed on making the cabinet easy to install, clean and service putting total efficiency at the centre of our design philosophy. TectoDeck MD5 is designed based on the opinion of our customers and Viessmann's requirements for top-class quality and performance.

Space-efficient design

TectoDeck MD5 has a space-efficient bottom evaporator design delivering up to 23% more product volume for the same floor space compared to back wall evaporator cabinets. Product volume is not compromised by space efficiency and the different-sized alternatives make this the optimum cabinet for small store formats, as well as larger stores in need of maximum product volume.

High performance and great energy efficiency

The door version of TectoDeck MD5 delivers optimised performance for product temperatures and the highest energy efficiency, even in the toughest of conditions. This 3M0 classified door cabinet reduces energy consumption by up to 77% compared to open cabinets during store opening hours. The open version of TectoDeck MD5 is no stranger to high performance and energy efficiency either. It is available in a 3M1 high-perfor-

mance version or a 3M2 energy-optimised version. Viessmann's unique new evaporator solution prevents icing in the evaporator, delivering secured temperature performance even in the toughest of conditions. Both the door and open versions of the cabinet naturally have Viessmann's unique patented encore air curtain technology as standard.

Great product visibility

TectoDeck MD5 has a new integrated door design maximising product visibility and delivering 9% more visible product space compared to earlier door cabinets. Transparent doors are available as an option for optimised product visibility. Focus has been placed on product lighting with LED lights providing great product visibility and ensuring energy efficiency. Shelf lighting is positioned at the front of the shelf for optimal visibility.

Easy to install, clean and service

TectoDeck MD5 has been designed with installation and everyday use in mind. The cabinet has an improved design to ensure fast, accurate and high-quality multiplexing of cabinet lines. Refrigeration piping installation can easily be done inside the cabinet and pre-installed piping can be ordered as an option. Cleaning and servicing has also been made easier than ever before. All parts necessary for cleaning the cabinet can be removed without tools, making use of the cabinet easy. TectoDeck MD5 is also easy to service. Fans and evaporator are easy to access and fans can be changed in a few minutes if necessary.



Choose TectoDeck MD5 for

- Integrated door design for maximised product display area
- New shelf lighting for optimised product visibility
- Attractive visual quality
- Space-efficient design
- High shelf load capacity
- New unique evaporator design
- Available in 3M0, 3M1 and 3M2 versions
- Easy to install, clean and service



en-core technology minimises the mixing of warm and cold air.




Technical specifications




External length (mm)	1250, 1875, 2500, 3750, crown ends 1580, 1780, 1980, 2180
External height (mm)	2055, 2255
External depth (mm)	790, 890, 1090, crown ends 790, 890
Temperature range	+0 to +2 °C and +2 to +4 °C
Refrigerants	R744 (CO ₂), R404A, R448, R134, Brine


TectoDeck MD5 30-79-206




TectoDeck MD5 30-79-226




TectoDeck MD5 30-89-206




TectoDeck MD5 30-89-226 GD




TectoDeck MD5 30-89-226



TectoDeck MD5 30-109-206



TectoDeck MD5 30-109-226



Accessories

Standard equipment

- Patented air curtain technology
- Fan evaporator and expansion valves standard for R404A and CO₂ refrigerant
- Energy saving fans
- Easy to remove suction grids, honeycomb, roof parts and back wall
- Defrost water outlet pipe in the cabinet length, external diameter 40mm
- LED lights
- Canopy lighting
- Electrical box on top of the cabinet


Optional accessories




Acrylic front riser



Corner cover



Grid divider for bottom shelf



Acrylic divider for shelf

- Thermometer
- Expansion valves for other refrigerants
- Glass or mirrored end panel
- Partition end panel
- Bumper trim for end panel
- Shelf with consoles 300, 400, 450, 500 and 600mm
- Shelf LED lights
- Holders, dividers, etc.
- Motorised night curtains
- Control devices
- Multiplexing kit
- Ticket strip holder
- Corner cover
- Glass doors
- Shelf console 0°, 10°, 20°. Three different positions
- Defrost heater



Hook rail with shelf



The new TectoDeck MD5 is a space-efficient multideck that maximises product visibility and delivers efficiency and improved merchandising for retailers.

- 1 Patented air curtain
- 2 Space-efficient and unique bottom evaporator design preventing icing
- 3 Integrated door design for maximum display area
- 4 Easy cleaning with smoother surfaces and removable parts
- 5 Quicker multiplexing than before - saves installation time



Refrigeration systems
product catalogue at
App store.

Austria
Viessmann K hlsysteme Austria GmbH
Telephone +43 72 35 66367-0
office_vk_at@viessmann.com
kuehlen.viessmann.at

Belgium
Viessmann Nederland B.V.
Telephone +31 10 4584444
info-ref-be@viessmann.com
cooling.viessmann.com

Czech Republic
Viessmann, spol. s r.o.
Telephone + 420 257 090 900
viessmann@viessmann.cz
cooling.viessmann.com

Denmark
Viessmann Refrigeration Systems ApS
Telephone +45 4120 5420
info.dk@viessmann.com
koele.viessmann.dk

Estonia
Viessmann K lmas steemid O 
Telephone +372 675 5150
info.ee@viessmann.com
kylm.viessmann.ee

Finland
Viessmann Refrigeration Systems Oy
Telephone +358 19 537 8000
info.fi@viessmann.com
cooling.viessmann.com
Viessmann Kylm j rjestelm t Oy
Telephone +358 19 537 8000
info.fi@viessmann.com
kylma.viessmann.fi

France
Viessmann Technique du Froid S. .r.l.
Telephone +33 3 87 13 08 13
france@viessmann-refrigeration.com
froid.viessmann.fr

Germany
Viessmann K hlsysteme GmbH, Hof
Telephone +49 9281 814-0
Viessmann K hlsysteme GmbH, Mainz
Telephone +49 61315 7046-17
kuehlsysteme@viessmann.de
kuehlen.viessmann.de

Ireland
Viessmann Refrigeration Systems Limited
Telephone +353 1 617 7930
sales@viessmann-coldtech.ie
cooling.viessmann.com

Latvia
Viessmann Refrigeration Systems Latvia fili le
Telephone +371 6782 8449
info.lv@viessmann.com
cooling.viessmann.com

Netherlands
Viessmann Nederland B.V.
Telephone +31 10 4584444
info-ref-nl@viessmann.com
koelen.viessmann.nl

Norway
Viessmann Refrigeration Systems AS
Telephone +47 3336 3500
post@viessmann.no
kjol.viessmann.no

Poland
Viessmann Systemy Chlodnicze Sp. z o.o.
Telephone +48 22 882 0020
info.pl@viessmann.com
chlodnicze.viessmann.pl

Russia
Viessmann Refrigeration Systems
Moscow
Telephone +7 499 277 1260
holod.viessmann.ru

Slovakia
Viessmann, s.r.o.
Telephone +421 32 23 01 00
viessmann@viessmann.sk
cooling.viessmann.com

Sweden
Viessmann Refrigeration Systems AB
Telephone +46 8 5941 1200
info.refrigeration@viessmann.se
kyla.viessmann.se

Switzerland
Viessmann (Schweiz) AG
Telephone +41 56 418 67 11
info@viessmann.ch
kuehlen.viessmann.ch

United Arabian Emirates
Viessmann Middle East FZE
Telephone +971 43724247
refrigeration@viessmann.ae
cooling.viessmann.com

United Kingdom
Viessmann Refrigeration Systems Limited
Telephone +44 1952 457157
sales@viessmann-coldtech.co.uk
cooling.viessmann.co.uk