


# TopTechnology

## TectoPromo MD2 Euromax

Maximised display area for chilled food and beverages



### For all shop concepts and all products


TectoPromo MD2 Euromax is suitable for multiple shop formats including retail, petrol stations, convenience stores and forecourt kiosks. Its market-leading display area is just the start. TectoPromo MD2 Euromax is versatile and can be used to sell dairy products, salads, meat products, beverages and even pet food. Its temperature performance is exceptional ensuring the most delicate products stay fresh and continue to look appealing. This is the one-stop shopping cabinet that enables even the smallest store to offer an extensive product range.

Side and canopy lights, glass end panels and a large display opening present all the delicacies at their best.

TectoPromo MD2 Euromax is available with thermo glass doors.

# Technical specifications

## TectoPromo MD2 Euromax



Model	TectoPromo MD2 Euromax 90	TectoPromo MD2 Euromax 125	TectoPromo MD2 Euromax 195	TectoPromo MD2 Euromax 245
Body colour	Grey or white	Grey or white	Grey or white	Grey or white
Inner body	Galvanised steel	Galvanised steel	Galvanised steel	Galvanised steel
External length (mm)	880	1250	1925	2450
External depth (mm)	880	880	880	880
External height adjustable feet (mm)	1980	1980	1980	1980
External height castor wheels (mm)	2030	2030	2030	2030
Internal length (mm)	830	1200	1875	2400
Internal depth (mm)	470	470	470	470
Internal height (mm)	1500	1500	1500	1500
Weight (net/gross kg)	244/264	360/380	510/530	610/630
Refrigerated area (m2)	2,10	3,27	5,08	6,34
Gross volume (l)	575	835	1305	1670
PET bottles / Cans	372 / 444	558 / 666	868 / 1036	1116 / 1332
Temperature range (°C)	+0...+2	+0...+2	+0...+2	+0...+2
Power input (W)	1176	1742	2743	3984
Power supply (V/Hz)	230/50	230/50	230/50	400/50
Fuse (A)	10	13	16	3x10
Running amps (A)	5,1	7,6	9,0	17,3
Energy consumption (kWh/24h) with night blind	17,7	35,7	31,8	67,2
Refrigerant R290*	-	■*	■*	-
Refrigerant charge (g)	-	2 x 200	2x220	-
Refrigerant R404A	■	■	■	■
Refrigerant charge (g)	750	2x530	1000	4 x 530


\* Minimum room area 15 m2

# Technical specifications

## TectoPromo MD2 Euromax with glass doors



Model	TectoPromo MD2 Euromax 90-GD	TectoPromo MD2 Euromax 125-GD	TectoPromo MD2 Euromax 195-GD	TectoPromo MD2 Euromax 245-GD
<b>Body colour</b>	Grey or white	Grey or white	Grey or white	Grey or white
<b>Inner body</b>	Galvanised steel	Galvanised steel	Galvanised steel	Galvanised steel
<b>External length (mm)</b>	880	1250	1925	2450
<b>External depth (mm)</b>	880	880	880	880
<b>External height adjustable feet (mm)</b>	1980	1980	1980	1980
<b>External height castor wheels (mm)</b>	2030	2030	2030	2030
<b>Internal length (mm)</b>	830	1200	1875	2400
<b>Internal depth (mm)</b>	470	470	470	470
<b>Internal height (mm)</b>	1500	1500	1500	1500
<b>Weight (net/gross kg)</b>	244/264	360/380	510/530	610/630
<b>Refrigerated area (m2)</b>	2,10	3,27	5,08	6,30
<b>Gross volume (l)</b>	575	835	1305	1670
<b>PET bottles / Cans</b>	372 / 444	558 / 666	868 / 1036	1116 / 1332
<b>Temperature range (°C)</b>	+0...+2	+0...+2	+0...+2	+0...+2
<b>Power input (W)</b>	906	464	1612	2074
<b>Power supply (V/Hz)</b>	230/50	230/50	230/50	230/50
<b>Fuse (A)</b>	10	10	16	16
<b>Running amps (A)</b>	3,9	2,0	10,6	11,5
<b>Energy consumption (kWh/24h)</b>	5,6	8,6	21,8	25,4
<b>Refrigerant R290*</b>	-	■*	■*	■*
<b>Refrigerant charge (g)</b>	-	200	200	2x200
<b>Refrigerant R404A</b>	■	■	■	■
<b>Refrigerant charge (g)</b>	750	500	2x500	2x650



\* Minimum room area 15 m2





Refrigeration systems  
product catalogue  
at App store.

Austria  
Viessmann K hlsysteme Austria GmbH  
Telephone +43 72 35 66367-0  
office\_vk\_at@viessmann.com  
**www.viessmann.at**

Belgium  
Viessmann Nederland B.V.  
Telephone +31 10 4584444  
info-ref-be@viessmann.com  
**www.viessmann.be**

Czech Republic  
Viessmann, spol. s r.o.  
Telephone + 420 257 090 900  
viessmann@viessmann.cz  
**www.viessmann.cz**

Denmark  
Viessmann Refrigeration Systems ApS  
Telephone +45 4120 5420  
info.dk@viessmann.com  
**www.viessmann.dk**

Estonia  
Viessmann K lmas steemid O   
Telephone +372 675 5150  
info.ee@viessmann.com  
**www.viessmann.ee**

Finland  
Viessmann Refrigeration Systems Oy  
Telephone +358 19 537 8000  
info.fi@viessmann.com  
**www.viessmann.com**  
Viessmann Kylm j rjestelm t Oy  
Telephone +358 19 537 8000  
info.fi@viessmann.com  
**www.viessmann.fi**

France  
Viessmann Technique du Froid S. .r.l.  
Telephone +33 3 87 13 08 13  
france@viessmann-refrigeration.com  
**www.viessmann.fr**

Germany  
Viessmann K hlsysteme GmbH, Hof  
Telephone +49 9281 814-0  
Viessmann K hlsysteme GmbH, Mainz  
Telephone +49 61315 7046-17  
kuehlsysteme@viessmann.de  
**www.viessmann.de**

Ireland  
Viessmann Refrigeration Systems Limited  
Telephone +353 1 617 7930  
sales@viessmann-coldtech.ie  
**www.viessmann-coldtech.ie**

Latvia  
Viessmann Refrigeration Systems Latvia fili le  
Telephone +371 6782 8449  
info.lv@viessmann.com  
**www.viessmann.com**

Netherlands  
Viessmann Nederland B.V.  
Telephone +31 10 4584444  
info-ref-nl@viessmann.com  
**www.viessmann.nl**

Norway  
Viessmann Refrigeration Systems AS  
Telephone +47 3336 3500  
post@viessmann.no  
**www.viessmann.no**

Poland  
Viessmann Systemy Chlodnicze Sp. z o.o.  
Telephone +48 22 882 0020  
info.pl@viessmann.com  
**www.viessmann.pl**

Russia  
Viessmann Refrigeration Systems  
Moscow  
Telephone +7 499 277 1260  
**www.viessmann.ru**

Slovakia  
Viessmann, s.r.o.  
Telephone +421 32 23 01 00  
viessmann@viessmann.sk  
**www.viessmann.sk**

Sweden  
Viessmann Refrigeration Systems AB  
Telephone +46 8 5941 1200  
info.refrigeration@viessmann.se  
**www.viessmann.se**

Switzerland  
Viessmann (Schweiz) AG  
Telephone +41 56 418 67 11  
info@viessmann.ch  
**www.viessmann.ch**

United Arabian Emirates  
Viessmann Middle East FZE  
Telephone +971 43724247  
refrigeration@viessmann.ae  
**www.viessmann.ae**

United Kingdom  
Viessmann Refrigeration Systems Limited  
Telephone +44 1952 457157  
sales@viessmann-coldtech.co.uk  
**www.viessmannrefrigeration.co.uk**