


TopInfo

Conventional floor connection to cold and freezer rooms



Floor connection with adapter for conventional floor in front of and in the cold room

The floor connection can be made using the version with adapter following installation. The cold room can then be built using the eccentric cam locks on the adapter.


Floor connection with connection profile for conventional floor on the cold room floor

With regard to models with cold room floors, the conventional floor is connected without special profiles. The system connects directly to the cold room floor with respective sealing and safety levels. An optimal solution for floating screed systems.

Floor connection with adapter

Key benefits

- Individual planning for a variety of applications
- Advance delivery and installation of the adapter are possible in order to install the on-site floor structure
- Quick-mount system for wall mounting with eccentric cam locks
- Flexible positioning onto on-site floor in Viessmann room grids
- Perfect, energy efficient insulation thanks to precision engineering manufacturing and sheet metal cover plate interruptions in the area of on-site insulation
- Use for different floor coverings such as tiled floors, coved tiles, epoxy resin floors and many other options
- Direct connection possible without offsetting the room wall
- Range of application for cold room and freezer areas possible




Specifications	Tiles adapter
Adapter thickness in mm	80 / 100 / 130
Temperature range	-25°C to +60°C
Height in mm	250 mm- 350 mm
Surface	Stainless steel 1.4301
Sizes and dimensions	Order-specific and individual production of the adapter ^{1) 2)}
Adapter/wall connections	Cam lock connection
Adapter corners/length connections	Steel/corners connections

1) Gradation in 100 mm intervals/adaptation to wall system

2) Incl. attachment material and assembly instructions for proper on-site assembly


Floor connection for conventional floor (lowered room)



III. Connection floor elements

Key benefits

- The sealing system for cold and freezer rooms was developed together with Sopro Bauchemie GmbH according with the latest state of the art and insulation
- Enables the individual planning of a variety of applications, such as retrofitting conventional floor structures and existing ground subsidence
- Flexible sealing level for floating screed system
- Connection without any special custom-made profiles possible = Direct connection without offsetting room floor
- Use for different floor coverings such as tiled floors, epoxy resin floors and many other options
- Range of application for cold room and freezer rooms possible
- Independent of wall thicknesses
- Nearly flush transition from existing floor to cold room
- With safety level (C), damages on-site are prevented.



III. Door area

All of the floor structures for conventional floors are shown in this flyer as possible examples. Specialist planners and application-compliant designs should be chosen for individual applications.

Austria
Viessmann K hlsysteme Austria GmbH
Telephone +43 72 35 66367-0
office_vk_at@viessmann.com
kuehlen.viessmann.at

Belgium
Viessmann Nederland B.V.
Telephone +31 85 018 7460
info-ref-be@viessmann.com
cooling.viessmann.com

Czech Republic
Viessmann, spol. s r.o.
Telephone + 420 257 090 900
viessmann@viessmann.cz
cooling.viessmann.com

Denmark
Viessmann Refrigeration Systems ApS
Telephone +45 4120 5420
info.dk@viessmann.com
koele.viessmann.dk

Estonia
Viessmann K lmas steemid O 
Telephone +372 675 5150
info.ee@viessmann.com
kylm.viessmann.ee

Finland
Viessmann Refrigeration Systems Oy
Telephone +358 19 537 8000
info.fi@viessmann.com
cooling.viessmann.com
Viessmann Kylm j rjestelm t Oy
Telephone +358 19 537 8000
info.fi@viessmann.com
kylma.viessmann.fi

France
Viessmann Technique du Froid S. .r.l.
Telephone +33 3 87 13 08 13
france@viessmann-refrigeration.com
froid.viessmann.fr

Germany
Viessmann K hlsysteme GmbH, Hof
Telephone +49 9281 814-0
Viessmann K hlsysteme GmbH, Mainz
Telephone +49 61315 7046-17
kuehlsysteme@viessmann.de
cooling.viessmann.co.uk

Ireland
Viessmann Refrigeration Systems Limited
Telephone +353 1 617 7930
sales@viessmann-coldtech.ie
cooling.viessmann.co.uk

Latvia
Viessmann Refrigeration Systems Latvia fili le
Telephone +371 6782 8449
info.lv@viessmann.com
cooling.viessmann.com

Netherlands
Viessmann Nederland B.V.
Telephone +31 85 018 7460
info-ref-nl@viessmann.com
koelen.viessmann.nl

Norway
Viessmann Refrigeration Systems AS
Telephone +47 3336 3500
post@viessmann.no
kjol.viessmann.no

Poland
Viessmann Systemy Ch lodnicze Sp. z o.o.
Telephone +48 22 882 0020
info.pl@viessmann.com
chlodnicze.viessmann.pl

Russia
Viessmann Group – Refrigeration Systems
Moscow, St. Petersburg
Telephone +7 499 277 1260
holod.viessmann.ru

Slovakia
Viessmann, s.r.o.
Telephone +421 32 23 01 00
viessmann@viessmann.sk
cooling.viessmann.com

Sweden
Viessmann Refrigeration Systems AB
Telephone +46 8 5941 1200
info.refrigeration@viessmann.se
kyla.viessmann.se

Switzerland
Viessmann (Schweiz) AG
Telephone +41 56 418 67 11
info@viessmann.ch
kuehlen.viessmann.ch

United Arabian Emirates
Viessmann Middle East FZE
Telephone +971 43724247
refrigeration@viessmann.ae
cooling.viessmann.com

United Kingdom
Viessmann Refrigeration Systems Limited
Telephone +44 1952 457157
sales@viessmann-coldtech.co.uk
cooling.viessmann.co.uk